


DA023

4 STACK MULTI-STATION

OWNER'S MANUAL



! CAUTION

Read all precautions
and instructions in this manual
before using this equipment

! CAUTION

Read all precautions and instructions in this manual before using this equipment.

Table Of Contents

Important Safety Instructions-----	3
Instructions-----	4
Parts List-----	5
Exploded View -----	7
Measurement Guide-----	8
Assembly Instructions-----	9
Assembly-----	10
Maintenance Schedule-----	17
General Maintenance Information-----	18
Weight Training Tips-----	19

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- * Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- * Do not allow children on or near the equipment.
- * Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- * Wear proper exercise clothing and shoes for your workout----no loose clothing.
- * Be careful when getting on or off the equipment.
- * Do not overexert yourself or work to exhaustion.
- * If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- * Never operate the unit when it has been dropped or damaged.
- * Never drop or insert anything into any opening in the equipment.
- * Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- * Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- * Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- * Do not attempt to lift more weight than you can control safely.
- * Do not use the equipment outdoors.

Personal Safety During Assembly


- * Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- * Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet




Hex Key Wrench Set

Parts List


NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED

Item No.	Description	Qty	Item No.	Description	Qty
1	Main Frame 1	1	59	Bushing	2
2	Main Frame 2	1	60	Foot Pull Sleeve	1
3	Bottom Frame 1	1	61	Pull Sleeve	3
4	Bottom Frame 2	1	62	Plug RT50×100	5
5	Top Frame 1	2	63	Foot Cover	7
6	Top Frame 2	1	64	3.5" Pulley	8
7	Support Frame	1	65	4.5" Pulley	15
8	Upper Beam Frame	1	66	Sliding Pad	2
9	Pulling Frame	1	67	End Cap	2
10	U-Shaped Seat	2	68	Spacer	1
11	Bottom Frame	1	69	Pop Pin 3	1
12	Seat Frame	1	70	Grip	1
13	Rowing Frame	1	71	Big Pulley Cover	18
14	Dual Pulley Frame	1	72	Small Pulley Cover	4
15	Handle Fixing Frame	1	73	Fixing Sleeve	8
16	Bottom Pulley Frame	2	74	Hoist Hook	10
17	Sliding Tube	1	75	1" Bearing	4
18	FOAM Adjusting Frame	1	76	Bushing	4
19	FOAM Frame	1	77	Internal Circlips	4
20	Bottom Frame	1	78	External Circlips	2
21	Lower Support Frame	1	79	Socket Head Cap Screw M10×50	11
22	Upper Pulley Frame	2	80	Flat Head Cap Screw M10×25	4
23	Handle Frame	2	81	Hex Head Bolt M10 ×125	2
24	Foot Frame	1	82	Hex Head Bolt M10 ×120	20
25	Left Sliding Sleeve	1	83	Hex Head Bolt M10 ×115	3
26	Double Pulling Frame	1	84	Hex Head Bolt M10 ×105	2
27	Guide Rod	8	85	Hex Head Bolt M10 ×95	2
29	Bottom Frame	1	86	Hex Head Bolt M10 ×85	2
30	Long Handle	1	87	Hex Head Bolt M10 ×80	6
31	Shroud	4	88	Hex Head Bolt M10 ×75	12
32	φ38 Shaft Bushing	2	89	Hex Head Bolt M10 ×70	14
33	Plug	4	90	Hex Head Bolt M10 ×65	1
34	Seat Pad 1	1	91	Hex Head Bolt M10 ×55	1
35	Pull Rope	1	92	Hex Head Bolt M10 ×50	3
36	Pull Sleeve	2	93	Hex Head Bolt M10 ×45	6
37	Grip	2	94	Hex Head Bolt M10 ×30	5
38	Cushion	3	95	Hex Head Bolt M10 ×25	4
39	Cup Holder	2	96	Flat Washer φ11×φ20×2	153
40	Shroud Clip	24	97	Nylon Lock Nut M10	80
41	Cable 1	1	98	Socket Set Screw M8×10	10
42	Cable 2	1	99	Button Head Cap Screw M8×40	8
43	Cable 3	1	100	Socket Head Cap Screw M8×30	1
44	Cable 4	1	101	Hex Head Bolt M8 ×95	1
45	Dual Pulley Frame	3	102	Flat Washer φ9×φ16×1.6	2
46	Rubber Sleeve	2	103	Nylon Lock Nut M8	9
48	Flange Nut M12	6	104	Cross head self-tapping screw M6×15	4
49	Aluminium Grip Ring	3	105	Button Head Cap Screw M6×12	4
50	Aluminium Grip Cap	3	106	Hex Nut M6	4
51	Seat Pad 2	2	107	Cross head self-tapping screw M5×20	48
52	FOAM	2	108	Socket Set Screw M5×3	6
53	Retainer Plate	2	110	Top Plate	4
54	Shaft	1	111	Selector Pin W/Coil	4
55	End Cap	2	112	Weight Rubber Bumper	8
56	Aluminum Retaining Ring	4	115	Rubber Bumper	8
57	Pop Pin 1	1	116	O-Ring	8
58	Plastic Tube Guide	4	117	Flat Head Cap Screw M6×16	3


Exploded View




Measurement Guide




BHCS = Button Head Cap Screw




SHCS = Socket Head Cap Screw




FHCS = Flat Head Cap Screw



HHB = Hex Head Bolt



Millimeters



Inches

Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.



Note

As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Specifications

Maximum Wt. Capacity: 4*125Kg/ 275lbs.


Maximum Load of Trainer: 150Kg/ 330lbs.

Assembly

STEP 1

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
1	Main Frame 1	1	53	Retainer Plate	2
2	Main Frame 2	1	82	Hex Head Bolt M10 ×120	8
3	Bottom Frame 1	1	86	Hex Head Bolt M10 ×85	2
4	Bottom Frame 2	1	87	Hex Head Bolt M10 ×80	6
5	Top Frame 1	2	96	Flat Washer φ11×φ20×2	32
15	Handle Fixing Frame	1	97	Nylon Lock Nut M10	16




Assembly

STEP 2

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
6	Top Frame 2	1	84	Hex Head Bolt M10 ×105	2
7	Support Frame	1	85	Hex Head Bolt M10 ×95	1
17	Sliding Tube	1	88	Hex Head Bolt M10 ×75	2
20	Bottom Frame	1	89	Hex Head Bolt M10 ×70	4
21	Lower Support Frame	1	90	Hex Head Bolt M10 ×65	1
23	Handle Frame	2	95	Hex Head Bolt M10 ×25	2
25	Left Sliding Sleeve	1	96	Flat Washer $\phi 11 \times \phi 20 \times 2$	27
82	Hex Head Bolt M10 ×120	4	97	Nylon Lock Nut M10	11




Assembly

STEP 3

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
8	Upper Beam Frame	1	89	Hex Head Bolt M10 ×70	10
9	Pulling Frame	1	96	Flat Washer $\phi 11 \times \phi 20 \times 2$	24
10	U-Shaped Seat	2	97	Nylon Lock Nut M10	12
81	Hex Head Bolt M10 ×125	2			




Assembly

STEP 4

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
12	Seat Frame	1	82	Hex Head Bolt M10 ×120	4
13	Rowing Frame	1	87	Hex Head Bolt M10 ×80	4
14	Dual Pulley Frame	1	88	Hex Head Bolt M10 ×75	4
19	FOAM Frame	1	95	Hex Head Bolt M10 ×25	2
24	Foot Frame	1	96	Flat Washer $\phi 11 \times \phi 20 \times 2$	26
52	FOAM	2	97	Nylon Lock Nut M10	12




Assembly

STEP 5

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
27	Guide Rod	8	44	Cable 4	1
30	Long Handle	1	45	Dual Pulley Frame	3
35	Pull Rope	1	61	Pull Sleeve	3
41	Cable 1	1	74	Hoist Hook	10
42	Cable 2	1	110	Top Plate	4
43	Cable 3	1	111	Selector Pin W/Coil	4




Assembly

STEP 6

Note: Wrench Tighten Screws.

Item No.	Description	Qty
31	Shroud	4




Assembly

STEP 7

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
11	Bottom Frame	1	88	Hex Head Bolt M10 ×75	2
34	Seat Pad 1	1	94	Hex Head Bolt M10 ×30	5
51	Seat Pad 2	2	96	Flat Washer φ11×φ20×2	15
82	Hex Head Bolt M10 ×120	4	97	Nylon Lock Nut M10	4




Assembly

STEP 8

Note: Wrench Tighten Screws.

Item No.	Description	Qty	Item No.	Description	Qty
36	Pull Sleeve	2	60	Foot Pull Sleeve	1
39	Cup Holder	2	104	Cross head self-tapping screw M6×15	4



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY						
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY							
Clean; Upholstery	DAILY	WEEKLY							
Inspect; Cables or Belts and their tension	DAILY	WEEKLY							
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS							
Inspect; All Decals	WEEKLY	3 MONTHS							
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS							
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS							
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS							
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS							
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY							
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY							
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS							

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- *Check all pieces for signs of visible wear or damage.
- *Check springs in snap hooks and pull-pins for proper tension and alignment.
- *If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- *To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- *Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- *Replace ripped or worn upholstery immediately.
- *Keep sharp or pointed objects clear of all upholstery.

Decals:

- *Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- *Inspect all nuts and bolts for any loosening and tighten if needed.
- *Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

Anti-Skid Surfaces:

- *These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- *We use only high quality belt, and mil-spec cables.
- *Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- *While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- *Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Belt and Cable Tension:

- *Referring to the Owners Manual, when belts or cables are used check all bolts attachments to be sure they are properly attached.
- *Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- *Wipe down adjusting tubes with a dust free rag before applying lubricant.
- *Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

Linear Bearings:

- *Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

PLEASE KEEP THIS FOR YOUR RECORDS

Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.


Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

SA024

HI/LOW PULLEY

OWNER'S MANUAL



! CAUTION

Read all precautions
and instructions in this manual
before using this equipment

! CAUTION

Read all precautions and instructions in this manual before using this equipment.

Table Of Contents

Important Safety Instructions-----	3
Instructions-----	4
Exploded View and Parts List-----	5
Measurement Guide-----	7
Assembly Instructions-----	8
Assembly-----	9
Maintenance Schedule-----	13
General Maintenance Information-----	14
Weight Training Tips-----	15

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- * Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- * Do not allow children on or near the equipment.
- * Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- * Wear proper exercise clothing and shoes for your workout----no loose clothing.
- * Be careful when getting on or off the equipment.
- * Do not overexert yourself or work to exhaustion.
- * If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- * Never operate the unit when it has been dropped or damaged.
- * Never drop or insert anything into any opening in the equipment.
- * Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- * Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- * Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- * Do not attempt to lift more weight than you can control safely.
- * Do not use the equipment outdoors.

PERSONAL SAFETY DURING ASSEMBLY


- * Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- * Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet




Hex Key Wrench Set


Exploded View and Parts List

ITEM NO.	DESCRIPTION	QTY	ITEM NO.	DESCRIPTION	QTY
1	Weight Stack Frame	1	33	Plug	2
2	Adjustable Foot plate	1	34	4.5" Pulley Cover	8
3	Upper Cross Brace	1	35	Weight Rubber Bumper	2
4	Bottom Cross Brace	1	37	Plastic Tube Guide	2
5	Left Support Frame	1	38	Mount Sleeve	2
6	Right Support Frame	1	39	Aluminium Cap	1
7	Inner Shroud	1	40	4.5" Pulley	5
8	Outer Shroud	1	41	Hex Head Bolt M10*125	8
9	Handrail	2	42	Hex Head Bolt M10*95	6
10	Sliding Tube	1	43	Hex Head Bolt M10*55	1
11	Sliding Sleeve	1	44	Hex Head Bolt M10*50	3
12	Double Pulley Bracket	1	45	Hex Head Bolt M10*30	2
13	Shaft For Pulley Bracket	1	46	Hex Head Bolt M8*95	1
14	Pulley Link Bracket	1	47	Socket Head Cap Screw M10*50	5
15	Bushing	2	48	Socket Head Cap Screw M8*50	2
16	Pop Pin Assembly	1	49	Button Head Cap Screw M6*12	2
17	3.5" Pulley	3	50	Flat Philips Screw M5*20	12
18	3.5" Pulley Cover	2	51	Socket Set Screw M8*10	2
19	Bumper	2	52	Socket Set Screw M5*3	4
20	25 Aluminium Grip Ring	1	53	Nylon Lock Nut M10	23
21	Nylon Spacer	1	54	Nylon Lock Nut M8	3
22	Grip	1	55	Nylon Lock Nut M6	2
23	Guide Rod	2	56	Nylon Lock Nut M16	2
24	Strap Handle	1	57	Spring Washer $\phi 10$	2
25	Leg Strap	1	58	Flat Washer $\phi 11 \times \phi 20 \times 2$	38
26	Cable	1	59	Flat Washer $\phi 9 \times \phi 16 \times 1.6$	2
27	Hex Flange Nut M12	2	60	Weight Plate	15
28	Hook	1	87	Top Plate	1
29	Adjustable Foot	2	88	Selector Pin W/Coil	1
30	Plug RT50	5	90	Lube	1
31	Rubber Foot	4	91	T Bar	1
32	Shroud Bracket	6	92	Grip	2


Exploded View and Parts List




Measurement Guide




BHCS = Button Head Cap Screw




SHCS = Socket Head Cap Screw



FHCS = Flat Head Cap Screw



HHB = Hex Head Bolt



Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

NOTE


As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Assembly

STEP 1


ITEM NO.	DESCRIPTION	QTY
1	Weight Stack Frame	1
3	Upper Cross Brace	1
4	Bottom Cross Brace	1
5	Left Support Frame	1
6	Right Support Frame	1
9	Handrail	1
10	Sliding Tube	1
11	Sliding Sleeve	1
12	Double Pulley Bracket	1

ITEM NO.	DESCRIPTION	QTY
13	Shaft For Pulley Bracket	1
14	Pulley Link Bracket	1
15	Bushing	2
41	Hex Head Bolt M10*125	8
42	Hex Head Bolt M10*95	4
45	Hex Head Bolt M10*30	2
46	Hex Head Bolt M8*95	1
53	Nylon Lock Nut M10	14
54	Nylon Lock Nut M8	1
57	Spring Washer $\phi 10$	2
58	Flat Washer $\phi 11*\phi 20*2$	26
59	Flat Washer $\phi 9*\phi 16*1.6$	1



STEP 2


ITEM NO.	DESCRIPTION	QTY
23	Guide Rod	2
35	Weight Rubber Bumper	2
38	Mount Sleeve	2
48	Socket Head Cap Screw M8*50	2
51	Socket Set Screw M8*10	2
54	Nylon Lock Nut M8	2
60	Weight Plate	15/19/24



Assembly

STEP 3


ITEM NO.	DESCRIPTION	QTY
17	3.5" Pulley	3
18	3.5" Pulley Cover	2
34	4.5" Pulley Cover	8
40	4.5" Pulley	4
44	Hex Head Bolt M10*50	3
47	Socket Head Cap Screw M10*50	5
53	Nylon Lock Nut M10	8
58	Flat Washer $\phi 11 \times \phi 20 \times 2$	6



Assembly

STEP 4

ITEM NO.	DESCRIPTION	QTY
7	Inner Shroud	1
8	Outer Shroud	1
32	Shroud Bracket	6
50	Flat Philips Screw M5*20	12



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY						
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY							
Clean; Upholstery	DAILY	WEEKLY							
Inspect; Cables or Belts and their tension	DAILY	WEEKLY							
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS							
Inspect; All Decals	WEEKLY	3 MONTHS							
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS							
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS							
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS							
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS							
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY							
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY							
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS							

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- * Check all pieces for signs of visible wear or damage.
- * Check springs in snap hooks and pull-pins for proper tension and alignment.
- * If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- * To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- * Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- * Replace ripped or worn upholstery immediately.
- * Keep sharp or pointed objects clear of all upholstery.

Decals:

- * Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- * Inspect all nuts and bolts for any loosening and tighten if needed.
- * Go through a re-tightening sequence periodically to ensure that all hardware is tensioned properly.

Anti-Skid Surfaces:

- * These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- * We use only high quality belt, and mil-spec cables.
- * Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- * While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- * Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Belt and Cable Tension:

- * Referring to the Owners Manual, when belts or cables are used check all bolt attachments to be sure they are properly attached.
- * Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- * Wipe down adjusting tubes with a dust free rag before applying lubricant.
- * Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

Linear Bearings:

- * Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

PLEASE KEEP THIS FOR YOUR RECORDS

Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

Assembly

STEP 5

ITEM NO.	DESCRIPTION	QTY
41	Hex Head Bolt M10*125	8
53	Nylon Lock Nut M10	8
58	Flat Washer $\phi 11 \times \phi 20 \times 2$	16
93	flat beam	1

