


DH014

45 LEG PRESS

OWNER'S MANUAL



! CAUTION

Read all precautions
and instructions in this manual
before using this equipment

! CAUTION

Read all precautions and instructions in this manual before using this equipment.

Table Of Contents

Important Safety Instructions-----	3
Instructions-----	4
Exploded View and Parts List-----	5
Measurement Guide-----	7
Assembly Instructions-----	8
Assembly-----	9
Maintenance Schedule-----	18
General Maintenance Information-----	19
Weight Training Tips-----	20

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- * Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- * Do not allow children on or near the equipment.
- * Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- * Wear proper exercise clothing and shoes for your workout----no loose clothing.
- * Be careful when getting on or off the equipment.
- * Do not overexert yourself or work to exhaustion.
- * If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- * Never operate the unit when it has been dropped or damaged.
- * Never drop or insert anything into any opening in the equipment.
- * Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- * Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- * Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- * Do not attempt to lift more weight than you can control safely.
- * Do not use the equipment outdoors.

PERSONAL SAFETY DURING ASSEMBLY


- * Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- * Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet




Hex Key Wrench Set

Exploded View and Parts List

Item NO.	Description	Qty	Item NO.	Description	Qty
1	Left Bottom Frame	1	41	Rubber Foot	5
2	Right Bottom Frame	1	43	Back Pad	1
3	Left Union Frame	1	44	Auxiliary Pad	5
4	Right Union Frame	1	45	Large Rubber Bumper	2
5	Upper Beam Frame	2	46	Ruber Bumper	2
6	Lower Beam Frame	1	47	Bumper	7
7	Idler Wheel Frame	2	48	Plug ϕ 48	7
8	Front Bottom Frame	1	49	Plug	3
9	Swing Frame	1	50	Plastic Tube Guide	2
10	Telescopic Frame	1	51	Bushing ϕ 38* ϕ 25.4*18	14
11	Back Pad Frame	1	54	Socket Head Cap Screw M10*65	4
12	Middle Connection Frame	1	56	Flat Head Cap Screw M10*25	15
13	Footplate Support	1	57	Flat Head Cap Screw M12*30	8
14	Footplate	1	58	External Retaining Ring ϕ 25	2
15	Right Safety Rack	1	59	Hex Head Bolt M10*75	2
16	Adjustable Connection Frame	1	60	Hex Head Bolt M12*25	8
17	Right Handle Frame	1	61	Hex Head Bolt M12*30	15
18	Rail Support Frame	2	62	Socket Head Cap Screw M8*25	1
19	Rail Connection Plate	2	63	Hex Head Bolt M12*130	20
20	Left Handle Frame	1	64	Hex Head Bolt M12*80	6
21	Seat Support	1	65	Hex Head Bolt M12*105	2
22	Weight Horn	2	66	Hex Head Bolt M18*90	2
23	Lead Rail	2	67	Nylon lock Nut M10	2
24	Top Weight Horn	1	68	Nylon lock Nut M12	42
25	Pop Pin	1	69	Flat Washer ϕ 17* ϕ 50*3	2
26	Weight Plate Storage	4	70	Flat Washer ϕ 11* ϕ 23*2	4
27	Externally Threaded Shaft	4	71	Flat Washer ϕ 13* ϕ 24*1.5	81
28	Pivot Shaft	2	72	Spring Washer ϕ 12	12
29	Fixed Shaft	1	73	Hex Head Bolt M10*30 M10*30	2
30	Left Safety Rack	1	74	Snap Spring ϕ 48	2
31	Limit shaft	2	75	Button Head Cap Screw M6*12	2
33	Internal Threaded Shaft	4	76	Hex Nut M6	2
34	Bush	12	77	Flat Head Cap Screw M10*20	6
35	Loose Pin ϕ 16	2	78	Plastic Sleeve	2
36	Idler Wheel Assembly	8	80	Support Frame	1
37	End Cap	12	81	Round Plug	2
38	Aluminium Grip	1	82	Needle Roller Bearing	2
39	Aluminium Cap	3	83	Split Washer	2
40	Aluminium Grip	2			


Exploded View and Parts List



Measurement Guide




BHCS = Button Head Cap Screw




SHCS = Socket Head Cap Screw



FHCS = Flat Head Cap Screw



HHB = Hex Head Bolt



Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.


NOTE

As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Assembly

STEP 1

ITEM NO.	DESCRIPTION	QTY
61	Hex Head Bolt M12*30	4
63	Hex Head Bolt M12*130	20
64	Hex Head Bolt M12*80	4
68	Nylon lock Nut M12	24
71	Flat Washer $\phi 13*\phi 24*1.5$	52
72	Spring Washer $\phi 12$	4




Note: Hand tighten bolts and Nylon Lock nuts until machine is fully assembled.

Assembly

STEP 2

ITEM NO.	DESCRIPTION	QTY
61	Hex Head Bolt M12*30	8
68	Nylon lock Nut M12	2
71	Flat Washer $\phi 13 \times \phi 24 \times 1.5$	12
72	Spring Washer $\phi 12$	8




Note: Hand tighten bolts and Nylon Lock nuts until machine is fully assembled.

Assembly

STEP 3

ITEM NO.	DESCRIPTION	QTY
28	Pivot Shaft $\phi 25.4 \times 131$	2
29	Fixed Shaft $\phi 25.4 \times 109 \times M10$	1
37	$\phi 25.4 \times 109 \times M10$	6
56	Flat Head Cap Screw M10*25	6




Note: Hand tighten bolts and Nylon Lock nuts until machine is fully assembled.

Assembly


STEP 4

ITEM NO.	DESCRIPTION	QTY
37	$\phi 25.4 \times 109 \times M10$	2
51	Bushing $\phi 38 \times \phi 25.4 \times 18$	6
56	Flat Head Cap Screw M10*25	2
58	External Retaining Ring $\phi 25$	4
64	Hex Head Bolt M12*80	2
68	Nylon lock Nut M12	2
71	Flat Washer $\phi 13 \times \phi 24 \times 1.5$	4



Assembly


STEP 5



Assembly

STEP 6


Item NO.	Description	Qty
7	Idler Wheel Frame	2
22	Weight Horn	2
61	Hex Head Bolt M12*30	2
71	Flat Washer $\phi 13*\phi 24*1.5$	2
80	Support Frame	1



Assembly

STEP 7


ITEM NO.	DESCRIPTION	QTY
56	Flat Head Cap Screw M10*25	6
66	Hex Head Bolt M18*90	2
69	Flat Washer $\phi 17*\phi 50*3$	2



Assembly

STEP 8

ITEM NO	DESCRIPTION	QTY
57	Hex Head Bolt M12*30	4
60	Hex Head Bolt M12*25	8
68	Nylon lock Nut M12	4
71	Flat Washer $\phi 13*\phi 24*1.5$	12




Note: Hand tighten bolts and Nylon Lock nuts until machine is fully assembled.

Assembly

STEP 9

ITEM NO.	DESCRIPTION	QTY
59	Hex Head Bolt M10*75	4
70	Flat Washer $\phi 11*\phi 23*2$	4



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY					
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY						
Clean; Upholstery	DAILY	WEEKLY						
Inspect; Cables or Belts and their tension	DAILY	WEEKLY						
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS						
Inspect; All Decals	WEEKLY	3 MONTHS						
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS						
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS						
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS						
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS						
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY						
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY						
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS						

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- * Check all pieces for signs of visible wear or damage.
- * Check springs in snap hooks and pull-pins for proper tension and alignment.
- * If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- * To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- * Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- * Replace ripped or worn upholstery immediately.
- * Keep sharp or pointed objects clear of all upholstery.

Decals:

- * Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- * Inspect all nuts and bolts for any loosening and tighten if needed.
- * Go through a re-tightening sequence periodically to ensure that all hardware is tensioned properly.

Anti-Skid Surfaces:

- * These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- * We use only high quality belt, and mil-spec cables.
- * Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- * While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- * Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Belt and Cable Tension:

- * Referring to the Owners Manual, when belts or cables are used check all bolt attachments to be sure they are properly attached.
- * Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- * Wipe down adjusting tubes with a dust free rag before applying lubricant.
- * Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

Linear Bearings:

- * Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

PLEASE KEEP THIS FOR YOUR RECORDS

Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.