


SA030E

EASY CHIN/DIP

OWNER'S MANUAL



! CAUTION

Read all precautions
and instructions in this manual
before using this equipment

! CAUTION

Read all precautions and instructions in this manual before using this equipment.

Table Of Contents

Important Safety Instructions-----	3
Instructions-----	4
Exploded View and Parts List-----	5
Measurement Guide-----	7
Assembly Instructions-----	8
Assembly-----	9
Maintenance Schedule-----	13
General Maintenance Information-----	14
Weight Training Tips-----	15

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- * Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- * Do not allow children on or near the equipment.
- * Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- * Wear proper exercise clothing and shoes for your workout----no loose clothing.
- * Be careful when getting on or off the equipment.
- * Do not overexert yourself or work to exhaustion.
- * If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- * Never operate the unit when it has been dropped or damaged.
- * Never drop or insert anything into any opening in the equipment.
- * Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- * Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- * Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- * Do not attempt to lift more weight than you can control safely.
- * Do not use the equipment outdoors.

PERSONAL SAFETY DURING ASSEMBLY


- * Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- * Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet




Hex Key Wrench Set


Exploded View and Parts List

Item No.	Description	Qty	Item No.	Description	Qty
01	Weight Stack Frame	1	43	Spacer Bush $\phi 20 \times \phi 16 \times 19.3$	2
02	Bottom Cross Brace	1	44	Guid Rod $\phi 19 \times \phi 15 \times 1449$	2
03	Top Cross Brace	1	45	Aluminum Ring $\phi 40 \times \phi 26.8 \times 19$	2
04	Left Upright Frame	1	46	$\phi 32.5 \times \phi 26 \times 19$	2
05	Right Upright Frame	1	47	$\phi 27.8 \times \phi 25.4 \times 28.6$	2
06	Bottom Cross Brace	2	48	$\phi 38 \times \phi 25.4 \times 18$	2
07	Cross Brace	1	49	Hex Head Bolt M10 $\times$ 120	14
08	Rear Cross Brace	1	50	Hex Head Bolt M10 $\times$ 90	2
09	Handle Frame	1	51	Hex Head Bolt M10 $\times$ 80	3
10	Carriage	1	52	Hex Head Bolt M10 $\times$ 50	5
11	Back Pad Frame	1	53	Hex Head Bolt M10 $\times$ 25	12
12	Foot Frame	2	54	Hex Head Bolt M8 $\times$ 65	8
13	Handrail	2	55	Socket Head Cap Screw M10 $\times$ 20	2
14	Cable	1	56	Socket Head Cap Screw M8 $\times$ 25	2
15	stop	1	57	Socket Set Screw M8 $\times$ 6	4
16	left djustable Frame	1	58	Socket Set Screw M5 $\times$ 6	8
17	Roller component	8	59	Cross Recessed Pan Head Screw M5 $\times$ 15	20
18	Grip $\phi 38 \times \phi 32 \times 330$	2	60	Nylon Lock Nut M10	22
19	Grip $\phi 31 \times \phi 23 \times 597$	2	61	Nylon Lock Nut M8	10
20	Rubber Sleeve $\phi 29 \times \phi 8.5 \times 12$	2	62	Flat Washer $\phi 11 \times \phi 20 \times 2$	29
21	Weight Rubber Bumper $\phi 63.5 \times \phi 19 \times 25.4$	2	63	Flat Washer $\phi 9 \times \phi 16 \times 1.6$	21
22	Pulley	6	64	Arc Washer $\phi 10$	28
23	Plug RT50 $\times$ 100	9	65	Spring Washer $\phi 10$	12
24	169 $\times$ 109 $\times$ 16	4	66	Spring Washer $\phi 8$	2
25	Plug F38	2	67	Reed Nut 13.68 $\times$ 21 $\times$ M5	4
26	Foot Cover 166 $\times$ 109 $\times$ 16	6	68	Flat Head Cap Screw M6 $\times$ 16	4
27	Weight Rubber Bumper $\phi 55 \times \phi 25 \times 26$	2	69	Flat Head Cap Screw M5 $\times$ 15	1
28	Shield fixing seat80 $\times$ 20 $\times$ 7	8	70	Flat Washer $\phi 13.5 \times \phi 24 \times 2.5$	16
29	Top Shroud 680 $\times$ 140 $\times$ 88.7	1	71	Flat Washer $\phi 13 \times \phi 44 \times 2$	2
30	Rear Shroud 1623 $\times$ 600 $\times$ 83	1	72	Nylon Lock Nut M12	9
31	Front Shroud 1623 $\times$ 600 $\times$ 65	1	73	Hex Head Bolt M12 $\times$ 155	1
32	Shroud Sticker	4	74	Hex Head Bolt M12 $\times$ 75	4
33	Rubber Plug $\phi 18.5 \times \phi 15 \times 12$	2	75	Hex Head Bolt M12 $\times$ 35	4
34	Roller spacer sleeve $\phi 17 \times \phi 12 \times 22$	16	76	Aluminum Handball $\phi 34 \times 20.5 \times M10$	1
35	Guid Rod $\phi 25 \times 1250$	2	77	Gas Spring QD-18-304-20KG	1
36	Top Plate 100Kg	1	78	Shaft $\phi 25 \times \phi 12.5 \times 134$	1
37	Steel cable joint $\phi 20 \times 30$	1	79	Plug $\phi 25 \times 4$ L	2
38	Selector Pin W/Coil	1	80	$\phi 39.5 \times \phi 32.8 \times 19$	2
39	L Bracket 74 $\times$ 45 $\times$ 25 $\times$ 3	6	81	Aluminum Ring $\phi 47 \times \phi 33.5 \times 19$	2
40	Elastic cylindrical pin $\phi 11 \times 75$	1	82	Bearing 6005-2Z	2
41	shoulder bolt $\phi 10 \times M8 \times 48.5$	1	83	Pop Pin	1
42	hassock 380 $\times$ 260 $\times$ 70	1			


Exploded View and Parts List




Measurement Guide




BHCS = Button Head Cap Screw




SHCS = Socket Head Cap Screw



FHCS = Flat Head Cap Screw



HHB = Hex Head Bolt



Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

NOTE


As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Assembly

STEP 1

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
4	Left Upright Frame	1	53	Hex Head Bolt M10×25	8
5	Right Upright Frame	1	60	Nylon Lock Nut M10	8
6	Bottom Cross Brace	2	62	Flat Washer $\phi 11 \times \phi 20 \times 2$	8
7	Cross Brace	1	64	Arc Washer $\phi 10$	16
9	Handle Frame	1	65	Spring Washer $\phi 10$	8
12	Foot Frame	2	70	Flat Washer $\phi 13.5 \times \phi 24 \times 2.5$	8
27	Weight Rubber Bumper $\phi 55 \times \phi 25 \times 26$	2	72	Nylon Lock Nut M12	4
35	Guid Rod $\phi 25 \times 1250$	2	74	Hex Head Bolt M12×75	4
49	Hex Head Bolt M10×120	8			




Assembly

STEP 2

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
14	Cable	1	38	Selector Pin W/Coil	1
20	Rubber Sleeve $\phi 29 \times \phi 8.5 \times 12$	2	44	Guid Rod $\phi 19 \times \phi 15 \times 1449$	2
21	Weight Rubber Bumper $\phi 63.5 \times \phi 19 \times 25.4$	2	56	Socket Head Cap Screw M8 $\times$ 25	2
29	Top Shroud 680 $\times$ 140 $\times$ 88.7	1	59	Cross Recessed Pan Head Screw M5 $\times$ 15	4
31	Front Shroud 1623 $\times$ 600 $\times$ 65	1	63	Flat Washer $\phi 9 \times \phi 16 \times 1.6$	2
33	Rubber Plug $\phi 18.5 \times \phi 15 \times 12$	2	66	Spring Washer $\phi 8$	2
36	Top Plate 100Kg	1			




Assembly

STEP 3

Note: Hand Tighten Bolts and Nylon Lock Nuts.

Item No.	Description	Qty	Item No.	Description	Qty
02	Bottom Cross Brace	1	57	Socket Set Screw M8×6	4
03	Top Cross Brace	1	60	Nylon Lock Nut M10	8
49	Hex Head Bolt M10×120	6	62	Flat Washer $\phi 11 \times \phi 20 \times 2$	8
50	Hex Head Bolt M10×90	2	64	Arc Washer $\phi 10$	8
53	Hex Head Bolt M10×25	4	65	Spring Washer $\phi 10$	4




Assembly

STEP 4

Note: Wrench Tighten Screws.

Item No.	Description	Qty
13	Handrail	2
51	Hex Head Bolt M10×80	3
55	Socket Head Cap Screw M10×20	2
62	Flat Washer $\phi 11 \times \phi 20 \times 2$	2



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY					
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY						
Clean; Upholstery	DAILY	WEEKLY						
Inspect; Cables or Belts and their tension	DAILY	WEEKLY						
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS						
Inspect; All Decals	WEEKLY	3 MONTHS						
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS						
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS						
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS						
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS						
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY						
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY						
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS						

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- * Check all pieces for signs of visible wear or damage.
- * Check springs in snap hooks and pull-pins for proper tension and alignment.
- * If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- * To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- * Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- * Replace ripped or worn upholstery immediately.
- * Keep sharp or pointed objects clear of all upholstery.

Decals:

- * Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- * Inspect all nuts and bolts for any loosening and tighten if needed.
- * Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

Anti-Skid Surfaces:

- * These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- * We use only high quality belt, and mil-spec cables.
- * Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- * While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- * Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Belt and Cable Tension:

- * Referring to the Owners Manual, when belts or cables are used check all bolts attachments to be sure they are properly attached.
- * Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- * Wipe down adjusting tubes with a dust free rag before applying lubricant.
- * Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

Linear Bearings:

- * Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

PLEASE KEEP THIS FOR YOUR RECORDS

Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.