


**DH053**  
**ISO MULTI CHEST PRESS**  
**OWNER'S MANUAL**



**! CAUTION**  
Read all precautions  
and instructions in this manual  
before using this equipment

**! CAUTION**

Read all precautions and instructions in this manual before using this equipment.

**Table Of Contents**

Important Safety Instructions-----	3
Instructions-----	4
Exploded View and Parts List-----	5
Measurement Guide-----	7
Assembly Instructions-----	8
Assembly-----	9
Maintenance Schedule-----	13
General Maintenance Information-----	14
Weight Training Tips-----	15

## Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- \* Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- \* Do not allow children on or near the equipment.
- \* Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- \* Wear proper exercise clothing and shoes for your workout----no loose clothing.
- \* Be careful when getting on or off the equipment.
- \* Do not overexert yourself or work to exhaustion.
- \* If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- \* Never operate the unit when it has been dropped or damaged.
- \* Never drop or insert anything into any opening in the equipment.
- \* Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- \* Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- \* Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- \* Do not attempt to lift more weight than you can control safely.
- \* Do not use the equipment outdoors.

### PERSONAL SAFETY DURING ASSEMBLY


- \* Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- \* Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

## Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


## Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet




Hex Key Wrench Set


## Exploded View and Parts List

Item No.	Description	QTY	Item No.	Description	QTY
1	Left Frame	1	39	Plug $\square 50 \times 100 \times 2.5$	1
2	Left Arm Force Frame	1	40	Plug 50x50	1
3	Adjustable Frame	2	41	Rubber Pad $\varphi 63.5 \times 25.4$	1
4	Right Frame	1	42	Vibration Damping Pad $\varphi 45 \times \varphi 12.7 \times 16.5$	1
5	Right Arm Force Frame	1	43	Bushing $\varphi 25 \times \varphi 12.2 \times 13$	2
6	Top Cross Brace	1	44	End Cap $\varphi 38 \times 6$	8
7	Main Frame	1	45	Plug $\varphi 76$	2
8	Cross Brace	1	46	Aluminum Ring $\varphi 90 \times \varphi 26.2 \times 5$	8
9	Seat Frame	1	47	Limit Sleeve $\varphi 17 \times 10.5$	2
10	Adjustment Tube F50x2.5x670	1	48	Grip DT $\varphi 30 \times \varphi 22 \times 153$	2
11	Back Pad Frame	1	49	Spring $\varphi 11 \times 22 \times 1.2$	1
12	Auxiliary Support Frame	1	50	Steel Ball S $\varphi 11$	1
13	Rotating Frame	2	51	Plug F50.8	1
14	FOAM Rack	1	52	Snap Spring $\varphi 48$	2
15	FOAM Rack	2	53	Flange Bearing $\varphi 63.5 \times \varphi 35 \times 18.5$	4
16	Barbell Bar	2	54	Aluminium Grip $\varphi 32 \times \varphi 25 \times 193$	2
17	Tap Tube $\varphi 25 \times 2.5 \times 500$	1	55	Aluminum End Cap $\varphi 60 \times \varphi 10.5 \times 10.9$	2
18	Rear Barbell Rack	2	56	Socket Head Cap Screw M10x25	4
19	Shaft $\varphi 25.4 \times 113$	2	57	Flat Head Cap Screw M10x25	16
20	Shaft $\varphi 35 \times 140$	2	58	Flat Head Cap Screw M12x45	2
21	Liner 256.6x84.7x1.5	2	59	Socket Head Cap Screw M8x15	2
22	Pop Pin	2	60	Socket Head Cap Screw M8x25	2
23	Long Elastic Pin	2	62	Flat Head Cap Screw M10x30	4
24	FOAM $\varphi 140 \times 207$	4	63	Socket Set Screw M8x10	4
25	Back Pad 860x330x70	1	64	Hex Head Bolt M10x75	5
26	Seat Pad 340x260x70	1	65	Hex Head Bolt M10x70	1
27	Aluminum End Cap $\varphi 54 \times \varphi 12.5 \times 10.6$	14	66	Hex Head Bolt M10x30	1
28	Shaft $\varphi 25.4 \times 131$	2	67	Socket Head Cap Screw M12x95	1
29	Bushing $\varphi 38 \times \varphi 25.4 \times 18$	16	68	Hex Head Bolt M12x135	10
30	Rubber Bumper $\varphi 78 \times \varphi 47.5 \times 15$	4	69	Hex Head Bolt M12x130	4
31	Limit Buffer Pad 60x100x42	2	70	Flat Head Cap Screw M10x20	1
32	Ground Floor Mat 159.5x159.5x14	5	71	Flat Head Cap Screw M12x30	4
33	Plug $\varphi 48$	4	72	Button Head Cap Screw M5x8	6
34	Adjustment Plate 224.8xR209.5x1.5	1	73	Nylon Lock Nut M10	3
35	Aluminum Handle $\varphi 32 \times \varphi 25 \times 115$	1	74	Nylon Lock Nut M12	15
36	Aluminium Cap $\varphi 32 \times \varphi 12 \times 7$	3	76	Flat Washer $\varphi 11 \times \varphi 20 \times 1.5$	14
37	Grip $\varphi 18 \times \varphi 14 \times 67.5$	2	78	Flat Washer $\varphi 9 \times \varphi 22 \times 1.6$	1
38	Plug F50-F60	2	79	Flat Washer $\varphi 13.5 \times \varphi 24 \times 2.5$	30


## Exploded View and Parts List




## Measurement Guide




**BHCS** = Button Head Cap Screw




**SHCS** = Socket Head Cap Screw



**FHCS** = Flat Head Cap Screw



**HHB** = Hex Head Bolt



## Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

### **NOTE**


As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

# Assembly

## STEP 1

**Note: Hand Tighten Bolts and Nylon Lock Nuts.**

Item No.	Description	QTY	Item No.	Description	QTY
1	Left Frame	1	68	Hex Head Bolt M12×135	8
4	Right Frame	1	74	Nylon Lock Nut M12	8
6	Top Cross Brace	1	79	Flat Washer $\varphi 13.5 \times \varphi 24 \times 2.5$	16
8	Cross Brace	1			




# Assembly

## STEP 2

**Note: Hand Tighten Bolts and Nylon Lock Nuts.**

Item No.	Description	QTY
27	Aluminum End Cap $\varphi 54 \times \varphi 12.5 \times 10.6$	4
68	Hex Head Bolt M12×135	2
71	Flat Head Cap Screw M12×30	4
74	Nylon Lock Nut M12	2
79	Flat Washer $\varphi 13.5 \times \varphi 24 \times 2.5$	4




# Assembly

## STEP 3

**Note: Hand Tighten Bolts and Nylon Lock Nuts.**

Item No.	Description	QTY	Item No.	Description	QTY
16	Barbell Bar	2	52	Snap Spring φ48	2
17	Tap Tube φ25×2.5×500	1	58	Flat Head Cap Screw M12×45	2
27	Aluminum End Cap φ54×φ12.5×10.6	2	69	Hex Head Bolt M12×130	4
30	Rubber Bumper φ78×φ47.5×15	2	79	Flat Washer φ13.5×φ24×2.5	4
48	Grip DTφ30×φ22×153	2			




# Assembly

## STEP 4

**Note: Wrench Tighten Screws.**

Item No.	Description	QTY	Item No.	Description	QTY
15	FOAM Rack	2	63	Socket Set Screw M8×10	4
24	FOAM φ140×207	4	64	Hex Head Bolt M10×75	3
25	Back Pad 860×330×70	1	66	Hex Head Bolt M10×30	1
26	Seat Pad 340×260×70	1	76	Flat Washer φ11×φ20×1.5	4



## Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY							
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY								
Clean; Upholstery	DAILY	WEEKLY								
Inspect; Cables or Belts and their tension	DAILY	WEEKLY								
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS								
Inspect; All Decals	WEEKLY	3 MONTHS								
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS								
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS								
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS								
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS								
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY								
Rewrap with Grease; Linear Bearings	6 MONTHS	YEARLY								
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS								

*Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.*

## General Maintenance Information

### **Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:**

- \* Check all pieces for signs of visible wear or damage.
- \* Check springs in snap hooks and pull-pins for proper tension and alignment.
- \* If the spring sticks or has lost its rigidity, replace it immediately.

### **Upholstery:**

- \* To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- \* Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- \* Replace ripped or worn upholstery immediately.
- \* Keep sharp or pointed objects clear of all upholstery.

### **Decals:**

- \* Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

### **Nuts and Bolts:**

- \* Inspect all nuts and bolts for any loosening and tighten if needed.
- \* Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

### **Anti-Skid Surfaces:**

- \* These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

### **Belts and Cables:**

- \* We uses only high quality belt, and mil-spec cables.
- \* Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- \* While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- \* Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

### **Belt and Cable Tension:**

- \* Referring to the Owners Manual, when belts or cables are used check all bolts attachments to be sure they are properly attached.
- \* Check slack in cables and re-adjust cable tension if needed.

### **Seat Sleeves, Guide Rods:**

- \* Wipe down adjusting tubes with a dust free rag before applying lubricant.
- \* Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

### **Linear Bearings:**

- \* Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

**PLEASE KEEP THIS FOR YOUR RECORDS**

## Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.